

artisJet Proud, DIGITAL LED UV ID CARD PRINTER

COMPLEX CARD MASS PRINT MADE EASY AND SIMPLE AT NO COST



CMYK Ink System



Instant ink drying within miliseconds



Up to 140*88 mm and on demand customization



Variable Data Print



Up to 1440 dpi



Odor Cleaning System



200 cards loading capacity / pass



Portable printer



Applications





Press ID cards



RFID / VDP credit cards



Event registration cards



Government ID cards



Experience the excitement with new technology

Designed to fit any climate and environment, a printer with a smart size for easier mobility

Print on more card materials, card sizes and card thicknesses, PVC cards, plastic cards, PP cards, PET cards, ABS cards, PETG cards, options are limitless for you to print better, faster, simpler and easier

Accommodates a variety of card applications from ID cards printing, enterprise cards, visitors cards, event badges cards, RFID cards, smart cards, magnetic stripe cards (access control cards, library cards). etc.


Accurate automatic card feeding system and wide range of array of encoding options to meet a broad range of applications

Automatic pairing system for accurate data combination from digital color printing to RFID data (easy data reading, writing and matching)

Safe and green DTSAT4 ink cartridges, enabling printing of 8000+ of CR80 card size with only one set of inks

Empowered with artisJet latest print engine for card printing, delivering a resolution at 1440 DPI with photo quality equipped with 3.0PL micro piezo inkjet and UV curing inkjet system

The most cost effective card production solution with low to zero printing cost in your daily production, without compromising the printing speed & quality



PAIRING THE BEST PRINTING QUALITY WITH COST EFFECTIVE PRODUCTION



Ink Cartridges DTSAT4 - 230-001

DTSAT4 - 230-002

DTSAT4 - 230-003

DTSAT4- 230-004

DTSAT4- 230-005

Ordering Information

AJ-Proud

artisJet Proud LED UV Card Printer

DTS UV LED Curing Ink Cartridges

Cyan UV LED Ink DTSAT4, 230ml

Yellow UV LED Ink DTSAT4, 230ml

Black UV LED Ink DTSAT4, 230ml

White UV LED Ink DTSAT4, 230ml

Magenta UV LED Ink DTSAT4, 230ml

Printing specification			Printer
Media	Cards Printing Size	From 54*86 mm and up to 140 x 88 mm and beyond, with on demand customization service available	Goods No.
	Card thickness	0.8 - 1.0 mm	Ink Cartrid
	Card load capacity	200 pcs	DTSAT4 - 2
	Card output capacity	200 pcs / hopper	
	Materials	Supporting various materials (PVC, composite materials, PC polycarbonate, transparent etc.)	DTSAT4 - 2
	Applicable products	ID cards printing, enterprise cards, visitors cards, event badges cards, RFID cards, smart cards, etc.	DTSAT4- 2
Printing technology	Built-in	UV LED curing technology	DTSAT4- 2
	Optional	Contactless smart card encoder ISO magnetic stripe encoding Contactable smart card encoder	Cleaning ac
Ink		artisInk DTSAT4 (YMCK original setting)	
Print speed	Unidirection	54*86 mm/80 pcs/hour; 70*100 mm/60 pcs/hour 75*104 mm/50 pcs/hour; 88*125 mm/45 pcs/hour	AJCA-U-20
Drinting	Drint Desolution	Unto 1440 dni	Fixing agen

Cleaning agent

AJCA-U-200-001 Cleaning agent for LED UV inks, 200 ml

Fixing agent

AJCP-U-200-001 Fixing agent A/B liquids for UV LED inks, 200ml

Printer specification

Connectivity Nozzles 6 Chambers: 180*6 nozzles

Print Head

Interface USB 2.0 / 3.0

Windows® 7/10/Server 2008 R2/ Supported software Server 2012 R2 / Server 2016

Made in Japan

 $\textbf{Depth x Width x Height} \quad \text{Printer 780} \times 565 \times 420 \, \text{mm} \, (30.70 \times 22.24 \times 16.53 \, \text{in}),$ **Dimensions** Shipping 830 x 580 x 510 mm (32.67 x 22.83 x 20.07 in)

Weight Printer 60 Kg, Shipping 87 kg

Available systems Card cleaning wheel; Static elimination system;

Odor-cleaning system; Borderless printing

artisJet Proud LED UV card printer, USB cable, Content of the box

Power cable, User manual book, Driver CD, Ink Chips, spare parts package, Ink tunnels, SCM Cable,

Power fuse, RIP Software, Extra back-up Damper

Epson DX7 piezo electric printhead.

Environmental ranges 60°F to 90°F (15°C to 32°C), 20% to 80% non-condensed humidity

Power input A110-220V, 50 Hz-60 Hz max 3.0A Certification CE / FCC / RoHS / REACH / HC certified Warranty 12 months for printer and print head module **ECO**

Go green with artisJet's DTSAT4 UV inks. Print toxin-free and virtually odorless. DTSAT4 UV inks are environmentally friendly. UV inks are cured and fixed to the substrate when being activated with UV light. The curing process hardens the ink, without any evaporation.





artisJet WorkStation, artisRIP 9.0 and third party software compatibility

artisJet Proud card printer is fully compatible to any card managing software with continuous production.

Specifically designed for artisJet's UV direct to print systems, artisJet WorkStation and artisRIP offer a simple and user friendly intuitive interface.

artisJet WorkStation main features:

Digital smart print workstation in one click with easy integration;

Effective ACS command system for mass production;

Improved productivity efficiency through AI data recovery integration, multiple tasks printing and pending printing jobs accessibility;

Store print files with easy transfer or back-up of the print tasks to any location;

API interface mode to achieve more printing possibilities (HOT FOLDER);

Third party software compatibility and tasks output directly via virtual printer;

Ink system cleaning, nozzle check and maintenance directly from Workstation with progress status monitoring;

Custom flexible adjustment of ink colors and nozzle sequence, improving nozzle life;

One-on-one image and card sample matching due to preset configurations and automated artwork position display according to product position; Greatly reduce time management (job print time estimation and print job preview).

artisRIP main features:

Layout editing platform, resize, mirror, text, color adjustment, color gamut check;

Raster and vector images support;

Built in customizable card print templates:

Previewing and smart nesting.







































